

## Monosplit 6-7 kW

Image				
Brand	<a href="#">Mitsubishi Heavy Industries</a>	<a href="#">Mitsubishi Electric</a>	<a href="#">Daikin</a>	<a href="#">Mitsubishi Electric</a>
Model outdoor unit	SRC60ZSX-S	PUHZ-ZRP60VHA	RXM60	MUZ-GF60VE
Model indoor unit	FDUM60VF	PCA-RP60KAQ	FTXM60	MSZ-GF60VE
Type	ducted	ceiling_suspended	wall_mounted	wall_mounted
Cooling capacity (kW)	6.3	6.1	6.0	6.0
Heating capacity (kW)	7.1	7.0	7.0	6.8
Electricity costs (EUR in 10 years)	4'074	3'610	3'278	3'600
SEER (cooling)	6.4	6.2	6.9	6.8
SCOP (heating)	4.4	4.3	4.3	4.3
Energy efficiency class (cooling / heating)	A++/A+	A++/A+	A++/A+	A++/A+
Annual electricity consumption (cooling/heating, kWh/year)	306/1731	347/1458	239/1400	311/1489
Sound power level indoor (dB(A))	60	60	61	65
Sound power level outdoor (dB(A))	65	67	63	65
Refrigerant / GWP	R410A/2088	R410A/2088	R32/675	R410A/2088
Size indoor unit (mm)	280x950x635	943x950x330	299x1040x289	880x840x330
Size outdoor unit (mm)	640x871x290	230x1280x680	735x825x300	325x1100x232
Available in countries	CH, on demand	CH, on demand	CH, on demand	CH, on demand



Image				
Brand	<a href="#">Daikin</a>	<a href="#">Mitsubishi Electric</a>	<a href="#">Panasonic</a>	<a href="#">Sinclair</a>
Model outdoor unit	RXM60M	PUHZ-ZRP60VHA	CU-E18PKEA	-
Model indoor unit	FTXM60M	PLA-ZRP60BA	CS-E18PKEA	ASH-18AIK
Type	wall_mounted	4-Way Ceiling Cassette	wall_mounted	wall_mounted
Cooling capacity (kW)	6.7	6.1	6.0	6.1
Heating capacity (kW)	8.0	7.0	8.0	6.7
Electricity costs (EUR in 10 years)	4'762	3'412	3'442	3'133
SEER (cooling)	6.9	6.1	6.9	6.8
SCOP (heating)	4.3	4.2	4.2	4.2
Energy efficiency class (cooling / heating)	A++/A+	A++/A+	A++/A+	A++/A+
Annual electricity consumption (cooling/heating, kWh/year)	885/1496	350/1462	254/1467	816/750
Sound power level indoor (dB(A))	42	55	44	45
Sound power level outdoor (dB(A))	63	67	61	58
Refrigerant / GWP	R32/675	R410A/2088	R410A/2088	R410A/2088
Size indoor unit (mm)	295x1040x300	943x950x330	295x1070x255	554x800x333
Size outdoor unit (mm)	735x825x300	258x840x840	695x875x320	325x964x222
Available in countries	CH, on demand	CH, on demand	CH, on demand	CH, on demand

Image				
Brand	<a href="#">Mitsubishi Electric</a>	<a href="#">Mitsubishi Electric</a>	<a href="#">Mitsubishi Heavy Industries</a>	<a href="#">Sinclair</a>
Model outdoor unit	PUHZ-ZRP60VHA	SUZ-KA60VA6	SRC60ZSX-S	-
Model indoor unit	PKA-RP60KAL	SLZ-M60FA	FDE60VG	ASH-18AIZ
Type	wall_mounted	4-Way Ceiling Cassette	ceiling_suspended	wall_mounted
Cooling capacity (kW)	6.1	6.5	6.3	6.6
Heating capacity (kW)	7.0	7.4	7.1	6.8
Electricity costs (EUR in 10 years)	3'618	4'050	3'534	2'990
SEER (cooling)	6.3	6.2	6.7	6.1
SCOP (heating)	4.2	4.1	4.1	4.0
Energy efficiency class (cooling / heating)	A++/A+	A++/A+	A++/A+	A++/A+
Annual electricity consumption (cooling/heating, kWh/year)	336/1473	885/1140	292/1475	790/705
Sound power level indoor (dB(A))	64	32	60	46
Sound power level outdoor (dB(A))	67	55	65	56
Refrigerant / GWP	R410A/2088	R32/675	R410A/2088	R410A/2088
Size indoor unit (mm)	943x950x330	245x570x570	210x1320x690	300x970x224
Size outdoor unit (mm)	365x1170x295	880x840x330	640x871x290	700x955x396
Available in countries	CH, on demand	CH, on demand	CH, on demand	CH, on demand

Image				
Brand	<a href="#">Toshiba</a>	<a href="#">Mitsubishi Heavy Industries</a>	<a href="#">Panasonic</a>	<a href="#">Mitsubishi Electric</a>
Model outdoor unit	RAS-22N3AV2-E	SRC60ZSX-S	CU-Z50TKE	MUZ-LN60VG
Model indoor unit	RAS-B22N3KV2-E	SRK60ZSX-S	CS-Z50TKEW	MSZ-LN60VG-R/V/W/B
Type	wall_mounted	wall_mounted	wall_mounted	wall_mounted
Cooling capacity (kW)	6.0	6.8	6.0	6.9
Heating capacity (kW)	7.0	8.2	8.0	9.3
Electricity costs (EUR in 10 years)	3'936	3'666	2'946	3'600
SEER (cooling)	6.5	6.1	7.9	7.5
SCOP (heating)	4.0	5.2	4.7	4.6
Energy efficiency class (cooling / heating)	A++/A+	A++/A++	A++/A++	A++/A++
Annual electricity consumption (cooling/heating, kWh/year)	323/1645	282/1551	222/1251	895/905
Sound power level indoor (dB(A))	60	63	60	45
Sound power level outdoor (dB(A))	65	65	62	55
Refrigerant / GWP	R410A/2088	R410A/2088	R32/675	R32/675
Size indoor unit (mm)	550x780x290	305x920x220	302x1120x236	307x890x233
Size outdoor unit (mm)	320x1050x243	640x871x290	695x875x320	880x840x330
Available in countries	CH, on demand	CH, on demand	CH, on demand	CH, on demand

Image				
Brand	Inefficient model			
Model outdoor unit				
Model indoor unit				
Type	Duct			
Cooling capacity (kW)	6.7			
Heating capacity (kW)	6.7			
Electricity costs (EUR in 10 years)	5'832			
SEER (cooling)	5.0			
SCOP (heating)	3.8			
Energy efficiency class (cooling / heating)	B/A			
Annual electricity consumption (cooling/heating, kWh/year)	466/2450			
Sound power level indoor (dB(A))	55			
Sound power level outdoor (dB(A))	65			
Refrigerant / GWP	R410A/2088			
Size indoor unit (mm)	1000x750x275			
Size outdoor unit (mm)	780x290x550			
Available in countries	EU			