

## Monosplit 6-7 kW



Image				
Brand	<a href="#">Panasonic</a>	<a href="#">Mitsubishi Electric</a>	<a href="#">Daikin</a>	<a href="#">Daikin</a>
Model outdoor unit	CU-Z50TKE	MUZ-LN60VG	RXM60M	RXM60
Model indoor unit	CS-Z50TKEW	MSZ-LN60VG-R/V/W /B	FTXM60M	FTXM60
Type	wall_mounted	wall_mounted	wall_mounted	wall_mounted
Cooling capacity (kW)	6.0	6.9	6.7	6.0
Heating capacity (kW)	8.0	9.3	8.0	7.0
Electricity costs (EUR in 10 years)	2'946	3'600	4'762	3'278
SEER (cooling)	7.9	7.5	6.9	6.9
SCOP (heating)	4.7	4.6	4.3	4.3
Energy efficiency class (cooling / heating)	A++/A++	A++/A++	A++/A+	A++/A+
Annual electricity consumption (cooling/heating, kWh/year)	222/1251	895/905	885/1496	239/1400
Sound power level indoor (dB(A))	60	45	42	61
Sound power level outdoor (dB(A))	62	55	63	63
Refrigerant / GWP	R32/675	R32/675	R32/675	R32/675
Size indoor unit (mm)	302x1120x236	307x890x233	295x1040x300	299x1040x289
Size outdoor unit (mm)	695x875x320	880x840x330	735x825x300	735x825x300
Available in countries	CH, on demand	CH, on demand	CH, on demand	CH, on demand

Image				
Brand	<a href="#">Panasonic</a>	<a href="#">Mitsubishi Electric</a>	<a href="#">Sinclair</a>	<a href="#">Mitsubishi Heavy Industries</a>
Model outdoor unit	CU-E18PKEA	MUZ-GF60VE	-	SRC60ZSX-S
Model indoor unit	CS-E18PKEA	MSZ-GF60VE	ASH-18AIK	FDE60VG
Type	wall_mounted	wall_mounted	wall_mounted	ceiling_suspended
Cooling capacity (kW)	6.0	6.0	6.1	6.3
Heating capacity (kW)	8.0	6.8	6.7	7.1
Electricity costs (EUR in 10 years)	3'442	3'600	3'133	3'534
SEER (cooling)	6.9	6.8	6.8	6.7
SCOP (heating)	4.2	4.3	4.2	4.1
Energy efficiency class (cooling / heating)	A++/A+	A++/A+	A++/A+	A++/A+
Annual electricity consumption (cooling/heating, kWh/year)	254/1467	311/1489	816/750	292/1475
Sound power level indoor (dB(A))	44	65	45	60
Sound power level outdoor (dB(A))	61	65	58	65
Refrigerant / GWP	R410A/2088	R410A/2088	R410A/2088	R410A/2088
Size indoor unit (mm)	295x1070x255	880x840x330	554x800x333	210x1320x690
Size outdoor unit (mm)	695x875x320	325x1100x232	325x964x222	640x871x290
Available in countries	CH, on demand	CH, on demand	CH, on demand	CH, on demand

Image				
Brand	<a href="#">Toshiba</a>	<a href="#">Mitsubishi Heavy Industries</a>	<a href="#">Mitsubishi Electric</a>	<a href="#">Mitsubishi Electric</a>
Model outdoor unit	RAS-22N3AV2-E	SRC60ZSX-S	PUHZ-ZRP60VHA	PUHZ-ZRP60VHA
Model indoor unit	RAS-B22N3KV2-E	FDUM60VF	PKA-RP60KAL	PCA-RP60KAQ
Type	wall_mounted	ducted	wall_mounted	ceiling_suspended
Cooling capacity (kW)	6.0	6.3	6.1	6.1
Heating capacity (kW)	7.0	7.1	7.0	7.0
Electricity costs (EUR in 10 years)	3'936	4'074	3'618	3'610
SEER (cooling)	6.5	6.4	6.3	6.2
SCOP (heating)	4.0	4.4	4.2	4.3
Energy efficiency class (cooling / heating)	A++/A+	A++/A+	A++/A+	A++/A+
Annual electricity consumption (cooling/heating, kWh/year)	323/1645	306/1731	336/1473	347/1458
Sound power level indoor (dB(A))	60	60	64	60
Sound power level outdoor (dB(A))	65	65	67	67
Refrigerant / GWP	R410A/2088	R410A/2088	R410A/2088	R410A/2088
Size indoor unit (mm)	550x780x290	280x950x635	943x950x330	943x950x330
Size outdoor unit (mm)	320x1050x243	640x871x290	365x1170x295	230x1280x680
Available in countries	CH, on demand	CH, on demand	CH, on demand	CH, on demand

Image				
Brand	<a href="#">Mitsubishi Electric</a>	<a href="#">Mitsubishi Heavy Industries</a>	<a href="#">Mitsubishi Electric</a>	<a href="#">Sinclair</a>
Model outdoor unit	SUZ-KA60VA6	SRC60ZSX-S	PUHZ-ZRP60VHA	-
Model indoor unit	SLZ-M60FA	SRK60ZSX-S	PLA-ZRP60BA	ASH-18AIZ
Type	4-Way Ceiling Cassette	wall_mounted	4-Way Ceiling Cassette	wall_mounted
Cooling capacity (kW)	6.5	6.8	6.1	6.6
Heating capacity (kW)	7.4	8.2	7.0	6.8
Electricity costs (EUR in 10 years)	4'050	3'666	3'412	2'990
SEER (cooling)	6.2	6.1	6.1	6.1
SCOP (heating)	4.1	5.2	4.2	4.0
Energy efficiency class (cooling / heating)	A++/A+	A++/A++	A++/A+	A++/A+
Annual electricity consumption (cooling/heating, kWh/year)	885/1140	282/1551	350/1462	790/705
Sound power level indoor (dB(A))	32	63	55	46
Sound power level outdoor (dB(A))	55	65	67	56
Refrigerant / GWP	R32/675	R410A/2088	R410A/2088	R410A/2088
Size indoor unit (mm)	245x570x570	305x920x220	943x950x330	300x970x224
Size outdoor unit (mm)	880x840x330	640x871x290	258x840x840	700x955x396
Available in countries	CH, on demand	CH, on demand	CH, on demand	CH, on demand

Image				
Brand	Inefficient model			
Model outdoor unit				
Model indoor unit				
Type	Duct			
Cooling capacity (kW)	6.7			
Heating capacity (kW)	6.7			
Electricity costs (EUR in 10 years)	5'832			
SEER (cooling)	5.0			
SCOP (heating)	3.8			
Energy efficiency class (cooling / heating)	B/A			
Annual electricity consumption (cooling/heating, kWh/year)	466/2450			
Sound power level indoor (dB(A))	55			
Sound power level outdoor (dB(A))	65			
Refrigerant / GWP	R410A/2088			
Size indoor unit (mm)	1000x750x275			
Size outdoor unit (mm)	780x290x550			
Available in countries	EU			