

















Ceiling-mounted

| | | | | |
|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| Image | | | | |
| Brand | Fluora Leuchten AG | Fluora Leuchten AG | Fluora Leuchten AG | Fluora Leuchten AG |
| Model | Avola 18W | Oblo 21W | Inline 16W Typ m | Quadro 17W basic |
| Power (W) | 17.6 | 21.33 | 16.91 | 17.06 |
| Luminous flux (lm) | 1'627 | 1'985 | 1'582 | 1'791 |
| Lamp category | LED | LED | LED | LED |
| Dimming | yes | no | yes | yes |
| Daylight / presence sensor | yes | no | no | no |
| Downward flux (%) | 86 | 86 | 100 | 89 |
| Luminaire efficiency factor (lm/W) | 92 | 93 | 94 | 105 |
| Image | | | | |
| Brand | Fluora Leuchten AG | Fluora Leuchten AG | Neuco AG | Neuco AG |
| Model | Avola 30W model 3 | Larga 39W | Hilight led 16W | Eco led b 40W |
| Power (W) | 29.6 | 38.7 | 16 | 40 |
| Luminous flux (lm) | 3'715 | 4'928 | 1'349 | 3'922 |
| Lamp category | LED | LED | LED | LED |
| Dimming | yes | yes | yes | yes |
| Daylight / presence sensor | no | yes | no | no |
| Downward flux (%) | 98 | 100 | 100 | 100 |
| Luminaire efficiency factor (lm/W) | 126 | 127 | 84 | 96 |

| | | | | |
|------------------------------------|--|--|---|--|
| Image |  |  |  |  |
| Brand | RIBAG Licht AG | Regent Lighting | Regent Lighting | Regent Lighting |
| Model | Metron 14W | Purelite 37W D | Liso 26W | Dime led 12W |
| Power (W) | 14.6 | 37 | 26 | 12 |
| Luminous flux (lm) | 1'261 | 3'750 | 2'450 | 1'250 |
| Lamp category | LED | LED | LED | LED |
| Dimming | yes | yes | no | no |
| Daylight / presence sensor | no | no | yes | no |
| Downward flux (%) | 78 | 100 | 88 | 100 |
| Luminaire efficiency factor (lm/W) | 86 | 101 | 94 | 104 |
| Image |  |  |  |  |
| Brand | Regent Lighting | Regent Lighting | Regent Lighting | Regent Lighting |
| Model | Board 39W | Solo slim office c 92W | Solo office c-led 21W | Item led 34W |
| Power (W) | 39 | 92 | 21 | 34 |
| Luminous flux (lm) | 4'650 | 11'900 | 2'400 | 3'900 |
| Lamp category | LED | LED | LED | LED |
| Dimming | no | yes | no | yes |
| Daylight / presence sensor | no | no | no | no |
| Downward flux (%) | 84 | 199 | 100 | 100 |
| Luminaire efficiency factor (lm/W) | 119 | 129 | 114 | 112 |

| | | | | |
|------------------------------------|--|---|---|--|
| Image |  |  |  |  |
| Brand | Regent Lighting | Zumtobel Licht AG | Zumtobel Licht AG | Zumtobel Licht AG |
| Model | Traq led 49W - 7000 lm | Perluce 19W O | Mirel evolution 29W | Ondaria 2 155W A |
| Power (W) | 49 | 19 | 29 | 155.3 |
| Luminous flux (lm) | 7'000 | 2'110 | 3'740 | 21'860 |
| Lamp category | LED | LED | LED | LED |
| Dimming | no | yes | yes | yes |
| Daylight / presence sensor | no | no | no | no |
| Downward flux (%) | 100 | 87 | 100 | 98 |
| Luminaire efficiency factor (lm/W) | 143 | 111 | 129 | 141 |
| Image |  |  |  |  |
| Brand | Zumtobel Licht AG | Zumtobel Licht AG | Zumtobel Licht AG | Zumtobel Licht AG |
| Model | Mildes licht 29W | Lightfields evolutio 31W A | Ecoos 51W A | Slotlight infinity 67W A |
| Power (W) | 29 | 31.3 | 51 | 66.7 |
| Luminous flux (lm) | 3'495 | 3'770 | 5'320 | 6'750 |
| Lamp category | LED | LED | LED | LED |
| Dimming | yes | yes | yes | yes |
| Daylight / presence sensor | no | no | no | no |
| Downward flux (%) | 97 | 95 | 77 | 100 |
| Luminaire efficiency factor (lm/W) | 121 | 120 | 104 | 101 |