

Ceiling-mounted









Image				
Brand	Fluora Leuchten AG	Fluora Leuchten AG	Regent Lighting	Regent Lighting
Model	Avola 18W	Avola 30W model 3	Board 39W	Dime led 12W
Power (W)	17.6	29.6	39	12
Luminous flux (lm)	1'627	3'715	4'650	1'250
Lamp category	LED	LED	LED	LED
Dimming	yes	yes	no	no
Daylight / presence sensor	yes	no	no	no
Downward flux (%)	86	98	84	100
Luminaire efficiency factor (lm/W)	92	126	119	104
Image				
Brand	Neuco AG	Zumtobel Licht AG	Neuco AG	Fluora Leuchten AG
Model	Eco led b 40W	Ecoos 51W A	Hilight led 16W	Inline 16W Typ m
Power (W)	40	51	16	16.91
Luminous flux (lm)	3'922	5'320	1'349	1'582
Lamp category	LED	LED	LED	LED
Dimming	yes	yes	yes	yes
Daylight / presence sensor	no	no	no	no
Downward flux (%)	100	77	100	100
Luminaire efficiency factor (lm/W)	96	104	84	94

















Image				
Brand	Regent Lighting	Fluora Leuchten AG	Zumtobel Licht AG	Regent Lighting
Model	Item led 34W	Larga 39W	Lightfields evolutio 31W A	Liso 26W
Power (W)	34	38.7	31.3	26
Luminous flux (lm)	3'900	4'928	3'770	2'450
Lamp category	LED	LED	LED	LED
Dimming	yes	yes	yes	no
Daylight / presence sensor	no	yes	no	yes
Downward flux (%)	100	100	95	88
Luminaire efficiency factor (lm/W)	112	127	120	94
Image				
Brand	RIBAG Licht AG	Zumtobel Licht AG	Zumtobel Licht AG	Fluora Leuchten AG
Model	Metron 14W	Mildes licht 29W	Mirel evolution 29W	Oblo 21W
Power (W)	14.6	29	29	21.33
Luminous flux (lm)	1'261	3'495	3'740	1'985
Lamp category	LED	LED	LED	LED
Dimming	yes	yes	yes	no
Daylight / presence sensor	no	no	no	no
Downward flux (%)	78	97	100	86
Luminaire efficiency factor (lm/W)	86	121	129	93

Image				
Brand	Zumtobel Licht AG	Zumtobel Licht AG	Regent Lighting	Fluora Leuchten AG
Model	Ondaria 2 155W A	Perluce 19W O	Purelite 37W D	Quadro 17W basic
Power (W)	155.3	19	37	17.06
Luminous flux (lm)	21'860	2'110	3'750	1'791
Lamp category	LED	LED	LED	LED
Dimming	yes	yes	yes	yes
Daylight / presence sensor	no	no	no	no
Downward flux (%)	98	87	100	89
Luminaire efficiency factor (lm/W)	141	111	101	105
Image				
Brand	Zumtobel Licht AG	Regent Lighting	Regent Lighting	Regent Lighting
Model	Slotlight infinity 67W A	Solo office c-led 21W	Solo slim office c 92W	Traq led 49W - 7000 lm
Power (W)	66.7	21	92	49
Luminous flux (lm)	6'750	2'400	11'900	7'000
Lamp category	LED	LED	LED	LED
Dimming	yes	no	yes	no
Daylight / presence sensor	no	no	no	no
Downward flux (%)	100	100	199	100
Luminaire efficiency factor (lm/W)	101	114	129	143