

## Ceiling-mounted









Image				
Brand	<a href="#">Regent Lighting</a>	<a href="#">Zumtobel Licht AG</a>	<a href="#">Regent Lighting</a>	<a href="#">Zumtobel Licht AG</a>
Model	Traq led 49W - 7000 lm	Ondaria 2 155W A	Solo slim office c 92W	Mirel evolution 29W
Power (W)	49	155.3	92	29
Luminous flux (lm)	7'000	21'860	11'900	3'740
Lamp category	LED	LED	LED	LED
Dimming	no	yes	yes	yes
Daylight / presence sensor	no	no	no	no
Downward flux (%)	100	98	199	100
Luminaire efficiency factor (lm/W)	142.86	140.76	129.35	128.97
Image				
Brand	<a href="#">Fluora Leuchten AG</a>	<a href="#">Fluora Leuchten AG</a>	<a href="#">Zumtobel Licht AG</a>	<a href="#">Zumtobel Licht AG</a>
Model	Larga 39W	Avola 30W model 3	Mildes licht 29W	Lightfields evolutio 31W A
Power (W)	38.7	29.6	29	31.3
Luminous flux (lm)	4'928	3'715	3'495	3'770
Lamp category	LED	LED	LED	LED
Dimming	yes	yes	yes	yes
Daylight / presence sensor	yes	no	no	no
Downward flux (%)	100	98	97	95
Luminaire efficiency factor (lm/W)	127.34	125.51	120.52	120.45

















Image				
Brand	<a href="#">Regent Lighting</a>	<a href="#">Regent Lighting</a>	<a href="#">Regent Lighting</a>	<a href="#">Zumtobel Licht AG</a>
Model	Board 39W	Solo office c-led 21W	Item led 34W	Perluce 19W O
Power (W)	39	21	34	19
Luminous flux (lm)	4'650	2'400	3'900	2'110
Lamp category	LED	LED	LED	LED
Dimming	no	no	yes	yes
Daylight / presence sensor	no	no	no	no
Downward flux (%)	84	100	100	87
Luminaire efficiency factor (lm/W)	119.23	114.29	111.76	111.05
Image				
Brand	<a href="#">Fluora Leuchten AG</a>	<a href="#">Zumtobel Licht AG</a>	<a href="#">Regent Lighting</a>	<a href="#">Regent Lighting</a>
Model	Quadro 17W basic	Ecoos 51W A	Dime led 12W	Purelite 37W D
Power (W)	17.06	51	12	37
Luminous flux (lm)	1'791	5'320	1'250	3'750
Lamp category	LED	LED	LED	LED
Dimming	yes	yes	no	yes
Daylight / presence sensor	no	no	no	no
Downward flux (%)	89	77	100	100
Luminaire efficiency factor (lm/W)	105	104.31	104.17	101.4

Image				
Brand	<a href="#">Zumtobel Licht AG</a>	<a href="#">Neuco AG</a>	<a href="#">Regent Lighting</a>	<a href="#">Fluora Leuchten AG</a>
Model	Slotlight infinity 67W A	Eco led b 40W	Liso 26W	Inline 16W Typ m
Power (W)	66.7	40	26	16.91
Luminous flux (lm)	6'750	3'922	2'450	1'582
Lamp category	LED	LED	LED	LED
Dimming	yes	yes	no	yes
Daylight / presence sensor	no	no	yes	no
Downward flux (%)	100	100	88	100
Luminaire efficiency factor (lm/W)	101.2	95.8	94.23	93.55
Image				
Brand	<a href="#">Fluora Leuchten AG</a>	<a href="#">Fluora Leuchten AG</a>	<a href="#">RIBAG Licht AG</a>	<a href="#">Neuco AG</a>
Model	Oblo 21W	Avola 18W	Metron 14W	Hilight led 16W
Power (W)	21.33	17.6	14.6	16
Luminous flux (lm)	1'985	1'627	1'261	1'349
Lamp category	LED	LED	LED	LED
Dimming	no	yes	yes	yes
Daylight / presence sensor	no	yes	no	no
Downward flux (%)	86	86	78	100
Luminaire efficiency factor (lm/W)	93.06	92.44	86.37	84.31