






## Storage Freezers 1-door

|                                  |   |   |  |   |
|----------------------------------|---|---|--|---|
| Image                            |  |  |  |  |
| Brand                            | <a href="#">Liebherr</a>  | <a href="#">Gram</a>  | <a href="#">Liebherr</a>   | <a href="#">Gemm</a>  |
| Model                            | G 5216  | Compact F 310 G   | GG 5210  | XFB/70  |
| Other models                     |   |   |  |   |
| Electricity costs (€ in 8 years) | 1160  | 1417  | 1650   | 1674  |
| Net volume (liters)              | 263   | 152   | 300  | 438   |
| Storage temperature (°C)         | -14...-28   | -22...-5  | -14...-28  | -18...-21   |
| Climate class                    |   | 4   |  | 5 - heavy-duty  |
| Energy efficiency class          | (B)   | C   | (B)  | B   |
| Energy Efficiency Index          | 26.2  | 39.92   | 34.9   | 28.8  |
| Energy (kWh/year)                | 725   | 886   | 1'031  | 1'046   |
| Refrigerant                      | R600a   | R600a   | R290   | R290  |
| Cooling                          | static  | Forced-air  | static   | Forced-air  |
| Dimensions W/D/H (mm)            | 750 x 750 x 1725  | 595 x 640 x 1300  | 750 x 750 x 1864   | 750 x 817 x 2040  |
| Countries available              | EU  | EU  | EU   | EU  |





## Storage Freezers 1-door

|                                  |  |                      |                          |                          |
|----------------------------------|--|----------------------|--------------------------|--------------------------|
| Image                            |  |                      |                          |                          |
| Brand                            | <a href="#">Liebherr</a>   | <a href="#">Gram</a> | <a href="#">Liebherr</a> | <a href="#">Liebherr</a> |
| Model                            | GG 4010  | Compact F 410 G      | GGPv 6590                | GGv 5060                 |
| Other models                     | GG 4060  |                      |                          | GGv 5010                 |
| Electricity costs (€ in 8 years) | 1710   | 1737                 | 1864                     | 1992                     |
| Net volume (liters)              | 248  | 265                  | 465                      | 337                      |
| Storage temperature (°C)         | -14...-28  | -22...-5             | -10...-26                | -14...-28                |
| Climate class                    |  | 4                    | 5 - heavy-duty           | 5 - heavy-duty           |
| Energy efficiency class          | (C)  | C                    | B                        | C                        |
| Energy Efficiency Index          | 39.7   | 39.1                 | 30.5                     | 39.73                    |
| Energy (kWh/year)                | 1'069  | 1'086                | 1'165                    | 1'245                    |
| Refrigerant                      | R290   | R600a                | R600a                    | R290                     |
| Cooling                          | static   | Forced-air           | Forced-air               | Forced-air               |
| Dimensions W/D/H (mm)            | 600 x 615 x 1900   | 595 x 640 x 1875     | 700 x 830 x 2120         | 750 x 750 x 1864         |
| Countries available              | EU   | EU                   | EU                       | EU                       |


## Storage Freezers 1-door

|                                  |   |   |   |   |
|----------------------------------|---|---|---|---|
| Image                            |  |  |  |  |
| Brand                            | <a href="#">Liebherr</a>  | <a href="#">Gram</a>  | <a href="#">Friulinox</a>   | <a href="#">Angelo Po</a>   |
| Model                            | GGv 5860  | BAKER F 550 G   | EVO 1PS AF 7-M  | X-CEL XL70B-0PR0  |
| Other models                     | GGv 5810  |   |   |   |
| Electricity costs (€ in 8 years) | 2162  | 2169  | 2173  | 2230  |
| Net volume (liters)              | 388   | 314   | 490   | 444   |
| Storage temperature (°C)         | -14...-28   | -25...-5  | -25...-18   | -22...-15   |
| Climate class                    | 5 - heavy-duty  | 5 - heavy-duty  | 5 - heavy-duty  | 5 - heavy-duty  |
| Energy efficiency class          | C   | C   | B   | C   |
| Energy Efficiency Index          | 39.98   | 44.9  | 34.9  | 38.1  |
| Energy (kWh/year)                | 1'351   | 1'355   | 1'358   | 1'394   |
| Refrigerant                      | R290  | R290  | R290  | R290  |
| Cooling                          | Forced-air  | Forced-air  | Forced-air  | Forced-air  |
| Dimensions W/D/H (mm)            | 750 x 750 x 2064  | 600 x 775 x 2100  | 700 x 830 x 2800  | 684 x 800 x 2040  |
| Countries available              | EU  | EU  | EU  | EU  |

## Storage Freezers 1-door

|                                  |   |   |   |   |
|----------------------------------|---|---|---|---|
| Image                            |  |  |  |  |
| Brand                            | <a href="#">Sagi Spa</a>  | <a href="#">Gram</a>  | <a href="#">Gram</a>  | <a href="#">Gram</a>  |
| Model                            | X-Treme XE70B-0P14  | Eco Midi F 60 G   | Superior Twin F 84 G  | Eco Plus F 70 G   |
| Other models                     |   |   |   |   |
| Electricity costs (€ in 8 years) | 2230  | 2356  | 2404  | 2412  |
| Net volume (liters)              | 444   | 304   | 451   | 451   |
| Storage temperature (°C)         | -22...-15   | -25...-5  | -25...-5  | -25...-5  |
| Climate class                    | 5 - heavy-duty  | 5 - heavy-duty  | 5 - heavy-duty  | 5 - heavy-duty  |
| Energy efficiency class          | C   | C   | C   | C   |
| Energy Efficiency Index          | 38.1  | 49.6  | 40.65   | 40.79   |
| Energy (kWh/year)                | 1'394   | 1'473   | 1'502   | 1'508   |
| Refrigerant                      | R290  | R290  | R290  | R290  |
| Cooling                          | Forced-air  | Forced-air  | Forced-air  | Forced-air  |
| Dimensions W/D/H (mm)            | 684 x 800 x 2040  | 600 x 771 x 2000  | 840 x 785 x 2100  | 700 x 905 x 2100  |
| Countries available              | EU  | EU  | EU  | EU  |





## Storage Freezers 1-door

|                                  |  |                      |                           |   |
|----------------------------------|--|----------------------|---------------------------|---|
| Image                            |  |                      |                           |   |
| Brand                            | <a href="#">Gram</a>   | <a href="#">Gram</a> | <a href="#">Alpeninox</a> | <a href="#">Electrolux Professional</a> |
| Model                            | Superior Plus F 72 G   | Eco Twin F 82 G      | Crio Touch (CTO71FFCHP)   | Ecostore Premium HP (ESP71FFCA)         |
| Other models                     |  |                      | Crio Tech (CTE71FFCHP)    | Ecostore Touch HP (EST71FFCA)           |
| Electricity costs (€ in 8 years) | 2424   | 2525                 | 2608                      | 2608                                    |
| Net volume (liters)              | 451  | 451                  | 503                       | 503                                     |
| Storage temperature (°C)         | -25...-5   | -25...-5             | -22...-15                 | -22...-15                               |
| Climate class                    | 5 - heavy-duty   | 5 - heavy-duty       | 5 - heavy-duty            | 5 - heavy-duty                          |
| Energy efficiency class          | C  | C                    | C                         | C                                       |
| Energy Efficiency Index          | 41   | 42.7                 | 41.3                      | 41.3                                    |
| Energy (kWh/year)                | 1'515  | 1'578                | 1'630                     | 1'630                                   |
| Refrigerant                      | R290   | R290                 | R290                      | R290                                    |
| Cooling                          | Forced-air   | Forced-air           | Forced-air                | Forced-air                              |
| Dimensions W/D/H (mm)            | 720 x 905 x 2100   | 820 x 785 x 2100     | 740 x 861 x 2080          | 885 x 740 x 2080                        |
| Countries available              | EU   | EU                   | EU                        | EU                                      |

## Storage Freezers 1-door

|                                  |   |   |   |   |
|----------------------------------|---|---|---|---|
| Image                            |  |  |  |  |
| Brand                            | <a href="#">Ilsa</a>  | <a href="#">Gram</a>  | <a href="#">Cool Compact</a>  | <a href="#">Ilsa</a>  |
| Model                            | AE073033  | BAKER F 625 G   | HKMT059-ME  | Start Energy AX071047   |
| Other models                     |   |   | HKMT059-ME-HU   | Elite AE073038  |
| Electricity costs (€ in 8 years) | 2676  | 2761  | 2845  | 2851  |
| Net volume (liters)              | 465   | 417   | 424   | 458   |
| Storage temperature (°C)         | -25...+8  | -25...-5  | -22...-15   | -20...-10   |
| Climate class                    | 5 - heavy-duty  | 5 - heavy-duty  | 5 - heavy-duty  | 5 - heavy-duty  |
| Energy efficiency class          | C   | C   | C   | C   |
| Energy Efficiency Index          | 44.4  | 48.9  | 49.9  | 47.8  |
| Energy (kWh/year)                | 1'673   | 1'725   | 1'778   | 1'782   |
| Refrigerant                      | R290  | R290  | R290  | R290  |
| Cooling                          | Forced-air  | Forced-air  | Forced-air  | Forced-air  |
| Dimensions W/D/H (mm)            | 830 x 700 x 2025  | 820 x 771 x 2000  | 720 x 840 x 2050  | 750 x 820 x 2025  |
| Countries available              | EU  | EU  | EU  | EU  |

## Storage Freezers 1-door

|                                  |   |   |  |   |
|----------------------------------|---|---|--|---|
| Image                            |  |  |  |  |
| Brand                            | <a href="#">Gram</a>  | <a href="#">Electrolux Professional</a>   | <a href="#">Liebherr</a>   | <a href="#">Alpeninox</a>   |
| Model                            | Eco Midi F 82 G   | Ecostore Touch (EST71FFC)   | GGPv 6570  | Crio Smart (ARX71FFH)   |
| Other models                     |   |   | GGPv 6520 (DE, AT), GGPv 6540 (DE, AT)   |   |
| Electricity costs (€ in 8 years) | 2891  | 2994  | 2998   | 3096  |
| Net volume (liters)              | 459   | 513   | 465  | 503   |
| Storage temperature (°C)         | -25...-5  | -22...-15   | -10...-26  | -22...-15   |
| Climate class                    | 5 - heavy-duty  | 4   | 5 - heavy-duty   | 5 - heavy-duty  |
| Energy efficiency class          | C   | C   | C  | C   |
| Energy Efficiency Index          | 48.4  | 46.8  | 49.8   | 49  |
| Energy (kWh/year)                | 1'807   | 1'871   | 1'874  | 1'935   |
| Refrigerant                      | R290  | R290  | R290   | R290  |
| Cooling                          | Forced-air  | Forced-air  | Forced-air   | Forced-air  |
| Dimensions W/D/H (mm)            | 820 x 771 x 2000  | 710 x 837 x 2050  | 700 x 830 x 2120   | 740 x 860 x 2080  |
| Countries available              | EU  | EU  | EU   | EU  |

## Storage Freezers 1-door

|                                  |   |   |   |  |
|----------------------------------|---|---|---|--|
| Image                            |  |  |  |  |
| Brand                            | <a href="#">Coreco</a>  | <a href="#">Liebherr</a>  | Inefficient model   |  |
| Model                            | HECG-751  | BGPv 8470   |   |  |
| Other models                     |   | BGPv 8420   |   |  |
| Electricity costs (€ in 8 years) | 3112  | 3195  | 5904  |  |
| Net volume (liters)              | 496   | 677   | 450   |  |
| Storage temperature (°C)         | -20...-15   | -10...-35   | -25...-5  |  |
| Climate class                    | 5 - heavy-duty  | 5 - heavy-duty  | 4   |  |
| Energy efficiency class          | C   | C   | G   |  |
| Energy Efficiency Index          | 49.7  | 41.5  | 100   |  |
| Energy (kWh/year)                | 1'945   | 1'997   | 3'690   |  |
| Refrigerant                      | R290  | R290  | R404A   |  |
| Cooling                          | Forced-air  | Forced-air  | Forced-air  |  |
| Dimensions W/D/H (mm)            | 760 x 885 x 2170  | 790 x 980 x 2120  | 700 x 840 x 2060  |  |
| Countries available              | EU  | EU  | EU  |  |