


Storage Refrigerators 1-door

Image				
Brand	Alpeninox	Electrolux Professional	Coreco	Friulinox
Model	Crio Touch (CTO71FRCHP)	Ecostore Premium HP (ESP71FRCA)	HEGR-751	EVO 1PS AR 7-M
Other models	Crio Tech (CTE71FRCHP)	Ecostore Touch HP (EST71FRCHP)		
Electricity costs (€ in 8 years)	560	560	566	563
Net volume (liters)	503	503	496	490
Storage temperature (°C)	-2...+10	-2...+10	-2...+8	-2...+8
Climate class	5 - heavy-duty	5 - heavy-duty	5 - heavy-duty	5 - heavy-duty
Energy efficiency class	A	A	A	A
Energy Efficiency Index	24.36	24.36	24.9	24.9
Energy (kWh/year)	350	350	354	352
Refrigerant	R290	R290	R290	R290
Cooling	Forced-air	Forced-air	Forced-air	Forced-air
Dimensions W/D/H (mm)	740 x 861 x 2080	740 x 861 x 2080	760 x 885 x 2170	700 x 830 x 2080
Countries available	EU	EU	EU	EU

Storage Refrigerators 1-door

Image				
Brand	Desmon	Liebherr	Gram	Gram
Model	HEM7	GKPv 6590	Eco Plus K 70 G	Superior Twin K 84 G
Other models	ENODIS Desmon HEM7		Eco Plus M 70 G	Superior Twin M 84 G
Electricity costs (€ in 8 years)	539	538	525	493
Net volume (liters)	482	465	462	462
Storage temperature (°C)	-2...+8	-2...+15	+2...+12	+2...+12
Climate class	5 - heavy-duty	5 - heavy-duty	5 - heavy-duty	5 - heavy-duty
Energy efficiency class	A	A	A	A
Energy Efficiency Index	24.1	24.4	24	22.5
Energy (kWh/year)	337	336	328	308
Refrigerant	R290	R290	R600a	R600a
Cooling	Forced-air	Forced-air	Forced-air	Forced-air
Dimensions W/D/H (mm)	750 x 800 x 2140	700 x 830 x 2120	700 x 905 x 2100	840 x 785 x 2100
Countries available	EU	EU	EU	EU








Image				
Brand	Gram	Gram	Afinox	Ilsa
Model	Superior Plus K 72 G	Eco Midi K 82 G	Energy 700 TN PC	Start Energy AX071050
Other models	Superior Plus M 72 G	Eco Midi M 82 G		Elite AE073039
Electricity costs (€ in 8 years)	456	524	531	524
Net volume (liters)	462	459	458	458
Storage temperature (°C)	+2...+12	+2...+12	-2...+7	-2...+8
Climate class	5 - heavy-duty	5 - heavy-duty	5 - heavy-duty	5 - heavy-duty
Energy efficiency class	A	A	A	A
Energy Efficiency Index	20.8	24	24.4	24.1
Energy (kWh/year)	285	328	332	328
Refrigerant	R600a	R600a	R290	R600a
Cooling	Forced-air	Forced-air	Forced-air	Forced-air
Dimensions W/D/H (mm)	720 x 905 x 2125	820 x 771 x 2000	733 x 844 x 2090	750 x 820 x 2025
Countries available	EU	EU	EU	EU

Image				
Brand	Inefficient model	Coldline	Angelo Po	Sagi
Model		Master 700 LT (A70/1N)	X-CEL XL70L - 0PR0	X-Treme XE70 - 0P14
Other models		Smart 700 LT (A70/1NE)		
Electricity costs (€ in 8 years)	2157	523	514	514
Net volume (liters)	450	450	444	444
Storage temperature (°C)	+2...+12	0...+10	-2...+8	-2...+8
Climate class	4	5 - heavy-duty	5 - heavy-duty	5 - heavy-duty
Energy efficiency class	G	A	A	A
Energy Efficiency Index	100	24.4	24	24
Energy (kWh/year)	1'348	327	321	321
Refrigerant	R134a	R290	R600a	R600a
Cooling	Forced-air	Forced-air	Forced-air	Forced-air
Dimensions W/D/H (mm)	700 x 840 x 2060	740 x 815 x 2085	684 x 800 x 2040	684 x 800 x 2040
Countries available	EU	EU	EU	EU

Storage Refrigerators 1-door


Image				
Brand	Mercatus	Gemm	Cool Compact	Efficold
Model	M1-760	XFN/70	HKMN059-ME	EL AERG 701
Other models			HKMN059-ME-HU	
Electricity costs (€ in 8 years)	530	493	520	502
Net volume (liters)	440	438	424	423
Storage temperature (°C)	-2...+8	-2...+8	-2...+12	-2...+8
Climate class	4	5 - heavy-duty	5 - heavy-duty	5 - heavy-duty
Energy efficiency class	A	A	A	A
Energy Efficiency Index	24.9	23.2	24.9	24.1
Energy (kWh/year)	331	308	325	314
Refrigerant	R600a	R290	R290	R600a
Cooling	Forced-air	Forced-air	Forced-air	Forced-air
Dimensions W/D/H (mm)	760 x 870 x 2100	750 x 817 x 2040	840 x 720 x 2050	693 x 856 x 2040
Countries available	EU	EU	EU	EU

Image				
Brand	Gram	Gram		
Model	Superior Euro K 62 G	Eco Midi K 60 G		
Other models	Superior Euro M 62 G	Eco Midi M 60 G		
Electricity costs (€ in 8 years)	422	433		
Net volume (liters)	322	304		
Storage temperature (°C)	+2...+12	+2...+12		
Climate class	5 - heavy-duty	5 - heavy-duty		
Energy efficiency class	A	A		
Energy Efficiency Index	23.2	24.44		
Energy (kWh/year)	264	271		
Refrigerant	R600a	R600a		
Cooling	Forced-air	Forced-air		
Dimensions W/D/H (mm)	620 x 855 x 2100	600 x 771 x 2000		
Countries available	EU	EU		